

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("20050222660").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/01/09 07:44
L2	0	1 weld	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/09 07:45
L3	1	1 weld\$4	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/09 08:46
L4	1	("6324415").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/01/09 08:46
L5	1	4 conduct\$4	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/09 08:46
L6	1	4 (conduct\$4 near6 ("58" or "56"))	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/09 09:08
L7	1	(1 or 4) adhesive	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/09 09:18
L8	1	("6952616".pn.) adhesive	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/09 09:38
L9	1323	((607/116) or (607/117) or (607/119) or (600/373)).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/01/09 09:38
L10	5	L9 (nitinol near electrode)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/09 09:39
L11	1	"3727616".PN.	USPAT; USOCR	AND	ON	2006/01/09 09:39
L12	9	("607".clas. or "600".clas.) (nitinol near electrode)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/09 10:41
L13	3	9 (shape near memory near electrode)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/09 09:43
L14	3	9 (shape near memory near electrode) electrode (shape near memory)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/09 09:43
L15	9	("607".clas. or "600".clas.) (nitinol near electrode) nitinol	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/09 09:51
L16	1	L9 (magnetic swaging)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/09 09:51

L17	0	L9 (magnetic swage)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/09 09:51
L18	0	L9 (magnetic adj swage)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/09 09:51
L19	0	L9 (magnetic adj swag\$3)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/09 09:52
L20	2	L9 swage	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/09 09:52
L21	4	((("6952616") or ("20050222660") or ("6253110") or ("6324415")).PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/01/09 10:26
L22	2	21 swag\$3	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/09 09:57
L23	1	("20040106959").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/01/09 10:01
L24	1	("6321415").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/01/09 10:01
L25	1	("6324415").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/01/09 10:10
L26	20	9 (resistance near welding)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/09 10:11
L27	5	9 ((resistance near welding) near10 electrode)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/09 10:11
L28	2	21 hole	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/09 10:26
L29	1	("20050222660").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/01/09 10:41
L30	291574	"178"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/09 10:41
L31	1	29 "178"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/09 10:43
L32	1	"6324415".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/09 10:43

L33	1	32 "59"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/09 10:43
S1	1320	((607/116) or (607/117) or (607/119) or (600/373)).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/01/09 07:44
S2	704	S1 conductor insulat\$4	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/04 16:00
S3	580	S1 conductor insulat\$4 lead	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/04 16:00
S4	74	S1 conductor insulat\$4 lead weld	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/04 16:12
S5	193	S1 conductor insulat\$4 lead weld\$4	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/08 16:39
S6	119	S5 not S4	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/04 16:12
S7	1323	((607/116) or (607/117) or (607/119) or (600/373)).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/01/08 16:06
S8	194	S7 conductor insulat\$4 lead weld\$4	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/08 16:06
S9	116	S7 conductor (conductor same weld\$4) insulat\$4 lead	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/08 16:08
S10	194	S7 conductor insulat\$4 lead weld\$4	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/08 16:38
S11	75	S7 conductor insulat\$4 lead weld	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/08 16:56
S12	119	S8 not S11	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/08 16:39
S13	75	S8 not S12	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/08 16:39
S14	13	("4351345"   "4567901"   "4608986"   "5122115"   "5129404"   "5246014"   "5324321"   "5358517"   "5480420"   "5524337"   "5769077"   "5851227"   "6119042").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/08 16:49

S15	418	("607".clas.) conductor insulat\$4 lead weld	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/08 17:05
S16	0	"10813496"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/08 17:05
S17	1	10/813496	US-PGPUB; USPAT; EPO; JPO	AND	ON	2006/01/08 17:06
S18	28	((("4328812") or ("4559951") or ("4590950") or ("4595012") or ("4944088") or ("4947866") or ("5014720") or ("5040554") or ("5304219") or ("5330522") or ("5385578") or ("5488768") or ("5522872") or ("5571162") or ("5609622") or ("5628778") or ("5746616") or ("5995876") or ("6006139") or ("6018684") or ("6104960") or ("6148237") or ("6363286") or ("6456888") or ("6505081") or ("6549812") or ("6556873") or ("6671562"))).PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/01/08 17:13
S19	1	("6952616").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/01/08 17:13